

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	385/53-94.CCLS. AND (screws with pins same connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:49
L2	6	356/73.1.ccls. and (connector\$1 same (guid\$3 near2 (pin\$1 hole\$1 rod\$1 shaft\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:49
L3	1159	385/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:49
L4	25	L3 and interferome\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:49
L5	1159	385/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:50
L6	318	L5 and (examin\$6 evaluat\$4 measur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:50
L7	1	((base adj1 plate) and (aperture adj1 plate) and (optic\$4 near3 connector) and microscop\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:51
L8	4071	324/754.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:52

L9	7	L8 and interferome\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:52
L10	143	microscop\$3 and (mount\$4 near5 plate\$1) and (optic\$3 near3 connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:53
L11	122	L10 and (opening\$1 aperture\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:53
L12	181865	(guid\$3 align\$4) near3 pin\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:53
L13	39	L11 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:53
L14	6	356/73.1.ccls. and (connector\$1 same (guid\$3 near2 (pin\$1 hole\$1 rod\$1 shaft\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:54
L15	8	385/53.ccls. and interferomet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:54
L16	4	385/76.ccls. and interferomet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:55

L17	7	385/77.ccls. and interferomet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:55
L18	1	((base adj1 plate) and (aperture adj1 plate) and (optic\$4 near3 connector) and microscop\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 08:55
S3	1053	385/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:18
S4	22	S3 and interferome\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 10:12
S5	99	("4505034" "4280279" "4898538" "5500606" "5718602" "5945838" "6059626" "6059626" "6147485" "6194908" "6239592" "6261122" "6453532" "5488268" "6173098" "4288745" "4814573" "5252084" "5415573" "5599091" "5712939" "5862281" "5976133" "6079999" "6117143" "6141471" "6368330" "6402389" "4086695" "4533129" "5213515" "5405672" "5509828" "5721990" "5739500" "5743627" "5773983" "5865653" "5942901" "6095669" "6095272" "6132069" "6175999" "6208130" "6341981" "6434314" "4511200" "4927389" "4087907" "4290015").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:41
S6	1	60/396248	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 10:31
S7	2	"interferometric microscope fixture"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 10:37

S8	2	("621555").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 10:54
S11	5	"interferometric optical microscope"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:12
S12	0	S8 and interferomet\$3 and microscop\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:18
S13	6057	interferomet\$3 and microscop\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:18
S14	214	interferomet\$3 adj microscop\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:19
S15	0	interferomet\$3 adj microscop\$2 same optic43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:19
S16	94	interferomet\$3 adj microscop\$2 same optic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:20
S17	468	interferomet\$3 same (optic\$3 near3 fiber\$1 near3 connect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:25

S18	2	S17 same (guid\$4 adj hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:22
S19	2	S17 same (guid\$4 adj3 hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:22
S20	174	interferomet\$3 same ((optic\$3 near3 fiber\$1 near3 connect\$4) or (fiberoptic\$3 near3 connect\$4)) and (guid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:27
S21	140	interferomet\$3 same ((optic\$3 near3 fiber\$1 near3 connect\$4) or (fiberoptic\$3 near3 connect\$4)) and (guid\$3) and (examin\$6 evaluat\$4 measur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:33
S22	1053	385/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:29
S23	282	S22 and (examin\$6 evaluat\$4 measur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 11:29
S24	762	interferomet\$3 same (((optic\$3 near3 fiber\$1) or (fiberoptic\$3)) with (end ends ending endings))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:35
S25	25	interferomet\$3 same (((optic\$3 near3 fiber\$1) or (fiberoptic\$3)) near3 connector\$1 with (end ends ending endings))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:50

S26	4	((("5459564") or ("6215555"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/12 13:50
S27	0	("interferomet\$3with(guid\$3adj1(pin \$1hole\$1))").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 10:34
S28	7	interferomet\$3 with (guid\$3 adj1 (pin\$1 hole\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 10:36
S29	22	interferomet\$3 with ((guid\$3 align\$4 lead\$4) adj1 (pin\$1 rod\$1 slot\$1 hole\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 10:51
S30	371	"MT connector" "MPO connector"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 10:53
S31	422	((MT MPO) adj1 connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 10:53
S32	215	interferomet\$3 adj1 microscop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:07
S33	1	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 10:54

S34	1053	385/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:07
S35	800	S34 and connect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:09
S36	623	S34 and (connect\$3 near4 ((optic\$3 fiber\$1) fiberoptic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:09
S37	99	("4505034" "4280279" "4898538" "5500606" "5718602" "5945838" "6059626" "6059626" "6147485" "6194908" "6239592" "6261122" "6453532" "5488268" "6173098" "4288745" "4814573" "5252084" "5415573" "5599091" "5712939" "5862281" "5976133" "6079999" "6117143" "6141471" "6368330" "6402389" "4086695" "4533129" "5213515" "5405672" "5509828" "5721990" "5739500" "5743627" "5773983" "5865653" "5942901" "6095669" "6095272" "6132069" "6175999" "6208130" "6341981" "6434314" "4511200" "4927389" "4087907" "4290015").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:42
S38	0	S37 and interferome\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:47
S39	3746	324/754.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 11:47
S40	4	S39 and interferome\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:03

S41	168665	"385"/("53" "76" "77" "78" "83"). ccls. and interferome\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:05
S42	3490	"385"/\$.ccls. and interferome\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:06
S43	5	385/53.ccls. and interferomet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:12
S44	4	385/76.ccls. and interferomet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:13
S45	7	385/77.ccls. and interferomet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:48
S46	126	microscop\$3 and (mount\$4 near5 plate\$1) and (optic\$3 near3 connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 15:31
S47	107	S46 and (opening\$1 aperture\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:50
S48	174134	(guid\$3 align\$4) near3 pin\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 14:51



S49	35	S47 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 15:31
S50	180	(interferomet\$4 near10 microscop\$2) and (optic\$3 near5 connect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 15:33
S51	14	S50 and ((guid\$4 align\$4) near3 (pin\$1 hole\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 10:14
S52	88	(microscope\$1 and (mount\$4 near1 plate) and (optic\$3 near3 fiber\$1 near3 connect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/13 16:33
S57	9348	(guide adj1 (pin\$1 hole\$1)) with (plate\$1 planar) with (apertureS1 opening\$1 hole\$1 orifice\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:35
S58	95	S57 and microscop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:39
S59	16	S58 and connector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:58
S60	119	(optic\$1 adj fiber adj1 connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:58

S61	5073	(optic\$2 adj fiber adj1 connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:59
S62	79840	(guide adj1 (pin\$1 hole\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:59
S63	266639	microscop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:59
S64	21	S61 and S62 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/14 06:59
S65	1902	356/73.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 09:37
S66	387	356/73.1.ccls. and (connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 09:41
S67	6	356/73.1.ccls. and (connector\$1 same (guid\$3 near2 (pin\$1 hole\$1 rod\$1 shaft\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 09:38
S68	8	((("4505556") or ("5196899") or ("5731893") or ("5892533")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:48

S69	2	("6412987").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 17:49
S70	5	(dimension\$2 adj1 characteristic\$1) same (optic\$2 with connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 17:54
S71	8	(offset adj1 angle\$1) same (optic\$2 with connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 18:07
S72	1	10/620540	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 17:57
S73	15	((offset adj1 angle\$1) or (angular adj offset)) same (optic\$2 with connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 18:15
S74	2519	((offset adj1 angle\$1) or (angular adj offset)) same (calculat\$3 determin\$3 measur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 18:15
S75	287	((offset adj1 angle\$1) or (angular adj offset)) same (calculat\$3 determin\$3 measur\$3) same optic\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 18:19
S76	19	((offset adj1 angle\$1) or (angular adj offset)) same (calculat\$3 determin\$3 measur\$3) same connector\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 18:16

S77	21	((offset adj1 angle\$1) or (angular adj1 offset)) same (calculat\$3 determin\$3 measur\$3) same (optic\$2 near2 fiber\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 18:27
S78	16254	(barbell relief) and ((guid\$4 align\$4) near3 (pin\$1 shaft\$1 rod\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 10:19
S79	123	(barbell relief) near3 ((guid\$4 align\$4) near3 (pin\$1 shaft\$1 rod\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:52
S80	221	((offset adj1 angle\$1) or (angular adj offset)) same ((guid\$4 align\$4) near3 (pin\$1 shaft\$1 rod\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:53
S81	72	((offset adj1 angle\$1) or (angular adj offset)) with ((guid\$4 align\$4) near3 (pin\$1 shaft\$1 rod\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:54
S82	2	"6412987".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 15:05
S83	136	microscop\$3 and (mount\$4 near5 plate\$1) and (optic\$3 near3 connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 19:50
S86	55	microscop\$3 and ((examin\$6 inspect\$3 check\$3 survey\$3) near7 (optic\$3 near3 connector\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 19:52

S87	230	microscop\$3 and ((examin\$6 inspect\$3 check\$3 survey\$3) near7 (((fiber\$1 fibre\$1) near3 (end\$1 ending\$1)) (optic\$3 near3 connector\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 19:53
S88	175	S87 not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 08:32
S89	1	10/620540	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 08:32
S90	986	385/53-94.CCLS. AND screws	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 10:51
S91	21	385/53-94.CCLS. AND (screws with pins same connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:42
S92	24	(screws with pins) same (optic\$2 near7 connector\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:42